T-branch accessory for Cablomax PVC trunking

REF. **TKA0062/9**



BASIC INFORMATION

DESCRIPTION

Accessory for Cabloxmax PVC channel of 130x55 mm. Allows for 90° branching from a channel without interrupting its continuity. Manufactured from high-quality thermoplastic materials and finished in white for proper integration with the channel.

FINISH	MATERIAL	ETIM CLASS
White	PVC	EC000865

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION
07

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

REMOVAL OF COVER
Only with tool

REMOVAL OF THE FRAME
Only with tool

INSTALLATION TYPE
On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436033665

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3280200

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.345

PRODUCT NET WEIGHT
0.345

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436033665

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
70

PACKAGING WIDTH
142

PACKAGING LENGTH
330

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3280200

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.39

PACKAGING NET WEIGHT
0.345

PACKAGING WEIGHT UNIT
KGM