

Front kit for 1 element with 1 Simon iO blinds switch matt black Simon 100

REF. 10020116-238



BASIC INFORMATION

DESCRIPTION

Front kit to occupy 1 element that has 1 shutter switch with Simon iO system. This device is made in beautiful black colour and matte finish. It is part of the Simon 100 series and is compatible with the rest of the products of the 100 series.

This device occupies 1 element and has a nice matte black finish, and can be installed in any available space. It is a standard product, which can be marketed throughout the EC, and its dimensions are 85.5x83.5mm.

The content that comes with its packaging will be the mechanism and instructions that could be very useful in case of any doubt regarding its installation.

Its type of activation is by push-button. Its emborning is screw-based and its voltage capacity is 250V.

It is a device that can be installed in a universal box. It can be installed both vertically and horizontally.

To ensure good maintenance it must be installed in a place with an operating temperature range of 5° C to 40° C and a temperature range for storage of -25° C and 50° C.

For cleaning it is recommended to use a soft cloth with soapy water, thus avoiding abrasive cleaners.

FINISH

Matt black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Push button rocker switch/Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213292

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053213292

PACKAGING VOLUME

70560

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

10

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

84

PACKAGING NET WEIGHT

0.064

UNITARY PACKAGING GROSS
WEIGHT

0.064

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.064