
# Quick connection patch cord female-Schuko RZ - 0.6 kV 3-pole with 2 meters in halogen-free material with a section of 3 x 2.5mm² red

REF. **CR6020/6**



## BASIC INFORMATION

### FINISH
Red

### MATERIAL
Plastic,PVC

### COMPATIBILITY
Flexible connection system and SIMON 400

### ETIM CLASS
EC002587

## TECHNICAL INFORMATION

### PROTECTION AGAINST DIRECT ACCESS OF CONTACTS
Yes

### CONNECTOR TYPE
GST18

### CURRENT (A)
16 A

### IP RATING
IP20

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### NOMINAL VOLTAGE (V~)
250 V~

### RAL
3015

## INSTALLATION AND MAINTENANCE

### REMOVAL OF CONNECTOR
Only with tool

# LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.4

PRODUCT NET WEIGHT
0.4

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436055025

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
170

PACKAGING WIDTH
195

PACKAGING LENGTH
270

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
8.95

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
2

PACKAGING WEIGHT UNIT
KGM