

LOOP X-Less 1 accessory Wall-mounted luminaire

REF. 99921109-199



BASIC INFORMATION

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

Ø115x169 mm

PACKAGING CONTENTS

1 Unit

ETIM CLASS

EC002556

TECHNICAL INFORMATION

IP RATING

IP20

DRIVER INCLUDED

No

ENERGY EFFICIENCY

A+

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

ELECTRICAL CLASS

II

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Trimless

REGULATIONS

EAC MARKED

Yes

ECORRAE MARKED

No

WARRANTY

3 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053285701

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.944

PRODUCT NET WEIGHT

0.944

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053285701

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

105

PACKAGING WIDTH

320

PACKAGING LENGTH

320

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

10.752

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.944

PACKAGING NET WEIGHT

0.944

PACKAGING WEIGHT UNIT

KGM