Angled voice and data plate without dust cover 1 element for 1 RJ45 white Simon 500 Cima

REF. **50000181-030**



BASIC INFORMATION

DESCRIPTION

Plate of voice and data plate, of the Simon 500 Cima series. This plate without dust cover, it is an element for an RJ45 connector. In colour and finish white individual version for a single module. The snap-fit of the voice and data plate is according to combined MD module. You can use both for one and two connectors. The clips to install this plate in Simon 500 Cima enclosures horizontal or vertical, are included. By the both, does not require the use of adapters or vertical positioners. Measuring lamps (50 x50 x21 mm), it provides versatility in its installation. It is made of a material thermoplastically, to ensure maximum security. Also, it can withstand temperatures of up to + 60 degrees centigrade. An important characteristic of these voice and data plates Simon is that are easy maintenance and cleaning, as it does not require the use of chemical products for this purpose.

FINISH

White

PACKAGING CONTENTS

Angled voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

RAL
9003

RJ45 CONNECTORS
Not included in voice and data plate

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

SNAP-FIT RJ45 PLATES
Corresponding to combined MD module

DUST PROTECTION
No

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

SNAP-FIT TYPE
Corresponding to combined MD module

FORMAT
RJ45

NUMBER OF MODULES
1

VERSION
Single

PLATE TYPE
Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.013

PRODUCT NET WEIGHT
0.013

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095157

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
1223

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
14.637

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.26

PACKAGING WEIGHT UNIT
KGM


50
50
5
11
10