Voice and data angled plate for 1 element without dust cover for 1 RJ45 connector white Simon K45

REF. **K080/9**



BASIC INFORMATION

DESCRIPTION

The series Simon K45 presents the individual plate of voice and data plate without dust cover and 1 element for 1 RJ45 connector, which has dimensions of 45x45 mm and a few simple finishes white in colour, it also allows the insertion by cutting (1 click ® and is compatible with elements up to 250 Volt voltage and 16 Ampere current. Thanks to its development in thermoplastic materials halogen-free, the piece is not guarantees that the flame spread in case of fire notional, in addition to a toxicity very low if had smoke. When combining the voice and data plate in vertical enclosures – as mini columns, columns, Teleblock, channels, mechanism holders _ x0085 _ – it is necessary to use the 90º positioner to be able to guide the plate into a vertical position. Thanks to the guarantee of a brand like Simon, its products can be fitted with the best quality, and that is that, thanks to its collection Simon K45, we can offer great solutions of workplace solutions for those who are looking for that your home has the best the commodities in the market.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Angled voice and data plate without dust cover

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90º positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

RAL
9003

RJ45 CONNECTORS
Not included in voice and data plate

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

SNAP-FIT RJ45 PLATES
According to combined MD module

DUST PROTECTION
No

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

SNAP-FIT TYPE
According to combined MD module

FORMAT
RJ45

NUMBER OF MODULES
Half

VERSION
Single

PLATE TYPE
Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
88

UNITARY PACKAGING WIDTH
123

UNITARY PACKAGING LENGTH
136

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
1472064

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.012

PRODUCT NET WEIGHT
0.012

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436037854

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.472

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.24

PACKAGING NET WEIGHT
0.24

PACKAGING WEIGHT UNIT
KGM