

Downlight 725.22 surface-mounted fitting

REF. 72532030-039



BASIC INFORMATION

DESCRIPTION

The series Simon 725 has all kinds of products and accessories with which to improve the electrical installations for lighting in the headquarters of companies, premises comerciales or private homes. To control and adjust the intensity of light in electrical systems is easier if confiamos them, one of the most demanded products in this range is the a fitting Surface-mounted Downlight 725.22. With dimensions of 255 x 60 mm and a weight of 0.7 kg, there are many individuals and professionals in the sector of the electricity that already enjoy the advantages of this surface-mounted accessory for all the qualities that brings in all types of public and private buildings such as university campuses and residential, hotels and holiday resorts or educational for all types of activities sports and leisure.

ETIM CLASS

EC002557

TECHNICAL INFORMATION

IP RATING

IP20

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Surface

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053122402

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053122402

PACKAGING VOLUME

4.327

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

65

PACKAGING GROSS WEIGHT

0.75

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

258

PACKAGING NET WEIGHT

0.632

UNITARY PACKAGING GROSS
WEIGHT

0.75

PACKAGING LENGTH

258

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.632