

Schuko socket base composable IP55 16AX with quick terminal connection system white Simon Aqua

REF. 4400472-030



BASIC INFORMATION

FINISH

White

COMPATIBILITY

Simon 27 Mechanisms

ETIM CLASS

EC000125

TECHNICAL INFORMATION

FORMAT

Schuko

CURRENT (A)

16 A

IK CLASSIFICATION

07

IP RATING

IP55

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018*1 | IEC 60884-1 Ed. 3.2*2 | UNE 20315-1-1:2017*2 | UNE 20315-1-2:2017*2 | EN IEC 60670-1:2021 + A11:2021*3 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME
UNIT

MMQ

UNITARY PACKAGING GROSS
WEIGHT

0.095

PRODUCT NET WEIGHT

0.095

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING EAN

8421053298640

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

86

PACKAGING WIDTH

83

PACKAGING LENGTH

222

PACKAGING MEASUREMENT
UNIT

MMT

PACKAGING VOLUME

1584636

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.95