

Frame for 2 elements old copper interior graphite Simon 82

REF. 82824-36



BASIC INFORMATION

FINISH

Copper

MATERIAL

Metal

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS

Frame with 2 elements

ETIM CLASS

EC000007

REMARKS

It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

AVAILABLE IN

1, 2, 3 and 4 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INNER FRAME

Graphite

VERSION

2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053261651	UNITARY PACKAGING GROSS WEIGHT 0.098	PACKAGING LENGTH 172
UNITARY PACKAGING HEIGHT 0	PRODUCT NET WEIGHT 0.098	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 1775040
UNITARY PACKAGING LENGTH 0	PACKAGING EAN 8421053054536	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 10	PACKAGING GROSS WEIGHT 0.98
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 86	PACKAGING NET WEIGHT 0.98
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 120	PACKAGING WEIGHT UNIT KGM

