

Linear spotlight 610 RGB Spot 650

REF. 61031533-100



BASIC INFORMATION

DESCRIPTION

Linear spotlight 610 with of the series Projectors DIFFUSED optics and Ecorrae category B The series Projectors 610 has a linear and compact design, making it incorporate into everyday perfectly in any type of space without subtract limelight to the product that go to exposing. This is a type of luminaire ideal for retail, museums, exhibitions, restaurants and hotels and provides coving, bathed wall-mounted, effects of colour and accent lighting and offers the possibility of including rail. Its service life, using it at 25 ° C, is 25,000 hours, offering you the lighting perfect for years. It has a colour temperature of 3000K, 1000 lumens and 33 Watts and its power is between 100 and 240 V and its frequency detail is 50 / 60 Hz. This series Projectors spotlight 610 can be installed in places with a temperature between -20 and 40°C and its weight is 1.1 kg

APPLICATION

Accent lighting,Wall
lighting,Colour effects

PACKAGING CONTENTS

1 unit

REMARKS

Information on Voltage and Frequency using 60W power supply ref: 61095200-061

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

No

LUMENS/W

1100 lm/35W

IP RATING

IP20

ELECTRICAL CLASS

Type 3

OPTICS

Spot

OPERATING TEMPERATURE RANGE (°C)

-20 - 40 °C

L70 (°C)

50,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

COLOR TYPE

RGB

POWER (W)

35 W

CONTROL

Power Box DMX

LIGHTING EFFICIENCY (LM/W)

31 lm/W

SERVICE LIFE

50.000 h

DIRECTIONAL

Yes

LUMENS (LM)

1100 lm

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Rail, Flush mount, Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053086209

PACKAGING VOLUME
2.31

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
70

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
1.256

PACKAGING WIDTH
50

PACKAGING NET WEIGHT
1.256

PRODUCT NET WEIGHT
1.256

PACKAGING LENGTH
660

PACKAGING WEIGHT UNIT
KGM