Ofiblock Line frame for 2 elements for recessing into furniture stainless steel Simon K45

REF. **KSF132/8**



BASIC INFORMATION

DESCRIPTION

Sophistication of the finishes in stainless steel, give the Simon K45 Ofiblock Line frame, the perfect design to adapt to the new decorative trends with a design discreet and stylish. Consists of 2 elements and is designed for flush installation in furniture for a complete integration of the set in any type of space compact. With a size of 76 x 166 x 58 mm, this frame can be installed in any furniture without claws, provided that it has a thickness of from 10 mm This manufactured with with brushed effect stainless steel and can reach a temperature range of -5 more than 60 °C. Functionality, innovation and style in a reduced space thanks to the Ofiblock Line frame of the Simon K45 collection.

FINISH

Stainless steel

MATERIAL

Metal

COMPATIBILITY

Simon K45 Ofiblock Line aluminium profiles and Ofiblock Compact

PACKAGING CONTENTS

Ofiblock Line frame for recessing into furniture, and installation manual.

ETIM CLASS

EC002759

REMARKS

Installation of any furniture (without using claws) measuring 10 mm in thickness or above.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Available in 1, 2, 4 and 6 elements.

MAX TEMP DURING CONSTRUCTION WORK (ºC)
+60º C

HEAT RESISTANCE (ºC)
+125ºC (according to standard IEC 60670)

INSULATION RESISTANCE (V-MΩ)
>5 MOhm at 500 V

IP RATING
IP4X

KIT AVAILABILITY
No

LINKABLE
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (ºC)
-5 to 60º C

NUMBER OF MODULES
2 modules

RECESS DIMENSION (MM)
150 x 64 mm

VERSION
2 elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (ºC)
+850 ºC (according to standard IEC 60670)

TYPE OF FASTENING
Using side screws to fix the Ofiblock Line frame to the furniture. Alternatively, you can use the set of clamps (ref.KSF7) which does not require screwing the Ofiblock Line frame to the furniture.

REMOVAL OF THE FRAME
Only with tool

INSTALLATION DIRECTION
Horizontal.

INSTALLATION TYPE
Suitable for embedding in furniture.

SECURING POSSIBILITIES
Its design allows recessed integration in any type of furniture

MOUNTING WITHOUT ACCESSORIES
The mirror includes holes on the sides for attachment without needing accessories.

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053117804

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.25

PRODUCT NET WEIGHT
0.25

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053117804

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
75

PACKAGING WIDTH
100

PACKAGING LENGTH
170

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1275000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.24

PACKAGING NET WEIGHT
0.25

PACKAGING WEIGHT UNIT
KGM