

German monoblock socket outlet 16A 250V~ with safety device and screw terminal connection champagne Simon 31

REF. 31472-64



BASIC INFORMATION

DESCRIPTION

Schuko monoblock socket-outlet with safety device and screw terminal connection system, in champagne colour and belonging to the series Simon 31. This socket-outlet works by insertion and it has a current of 16 A and a voltage of 250V. Its dimensions are 87x87mm and is manufactured with metal components with halogen-free insulation and thermoplastic metallized caps, materials that is very simple cleaning since it will only need to clean this socket-outlet with a soft and dry cloth, forgetting of use abrasive cloths and / or abrasive cleaners containing chlorine in its formula. Complies with the regulations UNE 20315-1-1: 2009, UNE 20315-1-2: 2009 and can be installed in rooms with a temperature located between 5 and 40°C, although it is able to withstand extreme temperatures of -25 to 50°C, approximately. This socket-outlet has 2 modules and supports a section of wire 2.5 mm, with a stripping of the 13 mm

FINISH

Champagne

PACKAGING CONTENTS

Socket outlet with cover and frame

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET CE	CURRENT (A) 16 A	MONOBLOCK Yes
CABLE SECTION ADMITTED (MM) 2,5 mm	IP RATING IP21	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
NUMBER OF POSSIBLE ELEMENTS 1 element	MAINTENANCE Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
FORMAT Schuko	TYPE OF MECHANISM Insertion	VERSION Single
INDICATOR FUNCTION No		VOLTAGE (V~) 250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 13	INSTALLATION TYPE Suitable for surface and flush mounting
INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3685500

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.125

PRODUCT NET WEIGHT
0.125

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053055755

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
91

PACKAGING WIDTH
180

PACKAGING LENGTH
225

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3685500

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.25

PACKAGING NET WEIGHT
1.25

PACKAGING WEIGHT UNIT
KGM