# Module Downlight LED Simon 704 3000K Spot DALI Negro

REF. **70400338-283**



## BASIC INFORMATION

APPLICATION

Accent lighting,General lighting

ETIM CLASS

EC000996

## TECHNICAL INFORMATION

### FREQUENCY
50 - 60 Hz

### IP RATING
IP20

### OPERATING TEMPERATURE RANGE (ºC)
-15 to 35ºC

### POWER SUPPLY (V~)
220/240 V~

### COLOR TEMPERATURE (K)
3000K

### CONTROL
DALI

### CRI
80

### LIGHT BEAM APERTURE ANGLE (°)
20º

### LIGHTING EFFICIENCY (LM/W)
89 lm/W

### LUMENS (LM)
1070 lm

### LUMENS/W
1070 lm/12W

### OPTICS
Spot

### SERVICE LIFE
30.000 h

### CHROMATICS CRI ICONS




## REGULATIONS

### WARRANTY
3 years 30.000 h

### REGULATIONS
Dir. 2014/30/UE EMC | Dir. 2014/35/UE LVD | Dir. 2009/125/EC ErP (Reg. UE 2019/2015) | Dir. 2009/125/EC ErP (Reg. UE 2019/2020) | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 55015:2019 + A11:2020 | EN IEC 60598-2-1:2021 | EN IEC 61547:2023 | EN 60598-2-2:2012 | EN 61000-3-3:2013 + A1:2019 + A2:2021 | EN 62493:2015 | EN IEC 63000:2018 | EN 62717:2017 + A2:2019

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053225608

UNITARY PACKAGING HEIGHT
165

UNITARY PACKAGING WIDTH
85

UNITARY PACKAGING LENGTH
118

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
1.655

UNITARY PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING GROSS WEIGHT
0.368

PRODUCT NET WEIGHT
0.298

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053225608

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
165

PACKAGING WIDTH
85

PACKAGING LENGTH
118

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1654950

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.368

PACKAGING NET WEIGHT
0.298

PACKAGING WEIGHT UNIT
KGM