


Touch LightKeypad button box 8 functions (8 digits) white Simon Scena

REF. 89000151-030



BASIC INFORMATION

DESCRIPTION

Another range of products revolutionary. The Series Scena of Simon incorporates an app of use really user-friendly and very comfortable. All the functions you can activate or deactivate it. Allows, even a real-time display the effect of light that you will capture in the space in the room, all from the screen of the application, Simon wants to go one step further thanks to this magnificent virtual tool already available for the that need or want to an electrical system more comfortable. A system that many as they bet and promises to go evolving in the future. In this case, we present in our online catalogue this keypad Touch LightKeypad 8 functions (8 digits) in white finish, allows up to 8 actions and, in addition, total shutdown. The keypad is typology scenario, as all of this range. Programming is made from the touch LighKeypad.

FINISH

White

PACKAGING CONTENTS

Touch LightKeypad, frame holder
and instructions

ETIM CLASS

EC002466

COMPATIBILITY

Touch Light Manager

REMARKS

Fitted with an IR input and compatible with SIMON 75350-69 remote control.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

BASIC CHARACTERISTICS

8 actions and everything off, 8 digits.

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MAXIMUM NUMBER OF CHANNELS

1

TYPE OF MECHANISM

Requires connection to Touch Light Manager, Touch pulse

OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

OPERATION

8 actions plus off

POWER SUPPLY (V~)

12 VDC/DMX

SIGNALLING FUNCTION

Yes

STORAGE TEMPERATURE RANGE (°C)

0 - 45 °C

USE

Short press for On/Off

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

CABLE CHARACTERISTICS DATA

Multicore AWG 24; 2 shielded twisted pairs with impedance of 120 Ohms

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Semi-flush mount; requires universal flush-mount box.

REGULATIONS

REGULATIONS

UNE-EN 50491-3:2010 + 2004/108/CE + 2006/95/CE

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053112984

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.114

PRODUCT NET WEIGHT

0.114

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053112984

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

35

PACKAGING WIDTH

120

PACKAGING LENGTH

105

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.441

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.114

PACKAGING WEIGHT UNIT

KGM