

**Frame for 1 element white beech wood base Simon 82  
Detail Select**

REF. 8201610-270



## BASIC INFORMATION

### DESCRIPTION

Frame for 1 element with white finish and socket of wood, which is PEFC certified natural wood to promote sustainable forest growth. The frame is suitable for surface or flush mounting in rooms with a temperature located between 5 and 40°C, although it is capable of withstanding extreme temperatures of -25 to 50°C. For its manufacturing has been followed by the UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 + UNE 20315-1-1: 2009 and is made of thermoset material. It measures 93x93mm and, for cleaning, just have to clean it with a soft, dry cloth, forgetting of use any product that contains chlorine in its formula. This frame is part of the Simon 82 Detail Select series, whose products are a stylish and exclusive design, offering, at the same time, a touch of personality. The socket protrudes and surrounding the part and, in this series, you may note also that is comprised for 4 families: Detail Metal, Detail Metallic Colour, Detail Natural Wood and Detail Fluorescent.

### FINISH

White/Wood

### COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

### PACKAGING CONTENTS

Frame with 1 element

### MATERIAL

Plastic

### ETIM CLASS

EC000007

### REMARKS

PEFC certified natural wood to promote sustainable forest growth. It is recommended to use the white finish for rockers and covers.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### AVAILABLE IN

1, 2, 3 and 4 elements

### VERSION

1 element

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

## INSTALLATION AND MAINTENANCE

**INSTALLABLE IN FLUSH MOUNT  
JUNCTION BOX**  
Universal

**INSTALLATION DIRECTION**  
Horizontal, Vertical

**INSTALLATION TYPE**  
Suitable for surface and flush  
mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | EN 60669-1:2018

## LOGISTICS INFORMATION

**UNITARY EAN CODE**  
8421053115497

**UNITARY PACKAGING WEIGHT  
UNIT**  
KGM

**PACKAGING MEASUREMENT  
UNIT**  
MMT

**UNITARY PACKAGING HEIGHT**  
0

**PACKAGING EAN**  
8421053115497

**PACKAGING VOLUME**  
162450

**UNITARY PACKAGING WIDTH**  
0

**UNITS CONTAINED PACKAGING**  
1

**PACKAGING VOLUME UNIT**  
MMQ

**UNITARY PACKAGING LENGTH**  
0

**PACKAGING HEIGHT**  
18

**PACKAGING GROSS WEIGHT**  
0

**UNITARY PACKAGING VOLUME**  
0

**PACKAGING WIDTH**  
95

**PACKAGING NET WEIGHT**  
0.046

**UNITARY PACKAGING GROSS  
WEIGHT**  
0.046

**PACKAGING LENGTH**  
95

**PACKAGING WEIGHT UNIT**  
KGM

**PRODUCT NET WEIGHT**  
0.046