Single-pole push button switch 16A 250V~ with quick terminal connection system Simon 360

REF. **36010111-039**



BASIC INFORMATION

DESCRIPTION

Unipolar switch 16A 250V~ push-button with quick terminal connection system from the Simon 360 series. The push-button mechanism allows all keys to be perfectly aligned in any configuration. Pleasure to the touch, sound, and visual balance.

MATERIAL

Plastic,Metal

COMPATIBILITY

Molduras Simon 360

ETIM CLASS

EC001590

TECHNICAL INFORMATION

NUMBER OF CONTACTS
2

CURRENT (A)
16 AX

RECESS DIMENSION (MM)
40

FORMAT
Push-button

IP RATING
IP20

VOLTAGE (V~)
127/230 V~

FREQUENCY
50 - 60 Hz

NOMINAL VOLTAGE (V~)
250 V~

NUMBER OF WIRES
2

INDICATOR FUNCTION
No

POWER SUPPLY (V~)
127/230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
15

REMOVAL OF COVER
Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

CLAW
Simon 27

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053441831

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.06

PRODUCT NET WEIGHT
0.05

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053441848

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
80

PACKAGING WIDTH
85

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1496000


PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.34

PACKAGING NET WEIGHT
0.25

PACKAGING WEIGHT UNIT
KGM


L
N


74 mm
74 mm
26 mm
40 mm