Single rocker with viewer aluminium Simon 44 Aqua

REF. **4400010-033**



BASIC INFORMATION

DESCRIPTION

Individual rocker with viewer, finished in aluminium colour of the series and Simon 44 Aqua. It can be installed in rooms with a temperature located between 5 and 40ºC, approximately, although it is also capable of withstanding extreme temperatures of -25 to 50ºC. This rocker is made of thermoplastic, a material that is easy to clean, as you will only have to use a soft cloth slightly moistened in soapy water and never use or abrasive cleaners or cloths containing chlorine. The series Simon 44 Aqua is designed to operate in harsh environments with water, dust and outdoor areas. This series has covers in 4 different finishes (grey, red, green pistachio aluminium) and are ideal for installation in swimming pools, kitchens, gardens, lofts, terraces, washrooms, industrial and sports facilities. Its protection against dust means that is ready to withstand the accumulation of dirt and dust protection in the ambience while the protection against water make it is prepared to withstand humidity and the inclemency of the weather.

FINISH

Aluminium

MATERIAL

Plastic

COMPATIBILITY

Simon 44 Aqua frames with rocker

PACKAGING CONTENTS

Single rocker

REMARKS

Available in 3 finishes. This article includes only the trim rocker. It is necessary to replace it with the referenced rockers with frame and rocker included.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

IP RATING

IP55

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (ºC)

5 - 40 ºC

STORAGE TEMPERATURE RANGE (ºC)

-25 - 50 ºC

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018*1 | IEC 60884-1 Ed. 3.2*2 | UNE 20315-1-1:2017*2 | UNE 20315-1-2:2017*2 | EN IEC 60670-1:2021 + A11:2021*3 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053254219

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.017

PRODUCT NET WEIGHT
0.017

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053070635

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
57

PACKAGING WIDTH
76

PACKAGING LENGTH
76

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.329

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.085

PACKAGING NET WEIGHT
0.085

PACKAGING WEIGHT UNIT
KGM