Flat voice and data plate with dust cover for 2 ADC Krone® RJ45 for 1 element white Simon 500 Cima

REF. **50017089-030**



BASIC INFORMATION

DESCRIPTION

The system workplace solutions 500 Cima, which presents the home Simon is the most complete for all types of connections in professional environments. This system offers great advantages over other systems for work stations, especially in terms of speed and comfort in your installation. This is thanks to its new terminal connection system, once you have inserted the wire you only have to press and the mechanism itself to perform the click. In this way, it is not necessary to strip or intertwine the wire. You get some excellent results, with the maximum safety. This flat base plate with dust cover is part of the series 500 Cima. This manufactured with halogen-free thermoplastic components, with one element and 1 and 2 ADC Krone ® RJ45 connectors, for voice and data connections. Includes snap-fit for fastening in housings and with a white finish in colour, it is possible to integrate into any space or ambience.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
ADC Krone® HK Keystone series.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
9003

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
ADC Krone® RJ45 connectors

SNAP-FIT TYPE
ADC Krone® RJ45 connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.017

PRODUCT NET WEIGHT
0.017

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053096970

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.17

PACKAGING WEIGHT UNIT
KGM


50
50
5
11