USB C charger 20W Power Delivery Simon 100

REF. **10000382-039**



BASIC INFORMATION

MATERIAL
Plastic,Metal

COMPATIBILITY
Marcos Simon 100

ETIM CLASS
EC002949

TECHNICAL INFORMATION

CONNECTOR TYPE
USB C

FORMAT
USB

FREQUENCY
50 - 60 Hz

INDICATOR FUNCTION
No

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
127/230 V~

POWER SUPPLY (V~)
127/230 V~

USB CHARACTERISTICS
PD 20W

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
7

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | EN IEC 63000:2018 ETSI | EN 301489-34 V2.1.1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053353486

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.073

PRODUCT NET WEIGHT
0.053

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053353486

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
55

PACKAGING WIDTH
40

PACKAGING LENGTH
65

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.143

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.728

PACKAGING NET WEIGHT
0.053

PACKAGING WEIGHT UNIT
KGM


L
N
8mm
L
N
N
L
8mm