

Spotlight DROP Mini 3000 K Spot On Board Dimmer Black

REF. 91891611-388



BASIC INFORMATION

DESCRIPTION

Are you looking for a spotlight mini? You we present here. You can see, in detail, all its features here, in the tabs are located next to the picture of product. The installation of this spotlight is really simple (see here also installation manual.) Can be placed suspended, in the wall or ceiling. A luxury in terms of functionality, since its orientation is 360 ° (vertical and horizontal).

This spotlight Drop has a colour temperature of 3000 K and a optics Spot 18°. Lighting performance and 1450 lm, CRI > 90 and a lighting efficiency of up to 81 lm / W. Its dimensions are 55 () x84 mm Finished in black colour, without too many stridency, but full of elegance, capable of melting within any context. Made of die-cast aluminium. For controlled, you should know that has a system On board dimmer. Perfect to create systems modular luminaires. Art.No. (Article number) of product: 91891611-388.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contrac

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

CRI

90

COLOR TYPE

NW

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DIRECTIONAL

Yes

LIGHTING EFFICIENCY (LM/W)

hasta 81 lm/W

POWER SUPPLY (V~)

48 V~

DRIVER INCLUDED

Yes

LUMENS (LM)

1070 lm

RAL

9005

ELECTRICAL CLASS

III

NUMBER OF LUMINAIRES

1

COLOR TEMPERATURE (K)

3000 K

ENERGY EFFICIENCY

A+

MACADAM STEPS

<3 Step MacAdam

CONTROL

On Board Dimmer

L70 (°C)

150000h at 25°C

OPTICS

Spot 18°

L90 (°C)

40000h at 25°C


POWER (W)

13.5 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547049486

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547049486

PACKAGING VOLUME

4452120

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.44

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

180

PACKAGING NET WEIGHT

0.4

UNITARY PACKAGING GROSS
WEIGHT

0.58

PACKAGING LENGTH

298

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.4