simon

Frame for 2 elements graphite beech wood base Simon 82 Detail Select

REF. 8201620-271



BASIC INFORMATION

FINISH

Graphite/Wood

MATERIAL

Plastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS

Frame with 2 elements

ETIM CLASS

EC000007

REMARKS

PEFC certified natural wood to promote sustainable forest growth. It is recommended to use the graphite finish for rockers and covers.



simon

TECHNICAL INFORMATION

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

VERSION

2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | EN 60669-1:2018



simon

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053115541

UNITARY PACKAGING GROSS

WEIGHT

0.068

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING LENGTH

0

PRODUCT NET WEIGHT

0.068

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053115541

PACKAGING GROSS WEIGHT

0

PACKAGING HEIGHT

12

PACKAGING LENGTH

165

PACKAGING NET WEIGHT

0.068

UNITS CONTAINED PACKAGING

1

PACKAGING MEASUREMENT

UNIT MMT

PACKAGING VOLUME

188100

PACKAGING VOLUME UNIT

MMQ

PACKAGING WEIGHT UNIT

KGM

PACKAGING WIDTH

95

