German socket outlet 16A 250V~ with safety device and screw terminal connection grey Simon 27 Play

REF. **27472-67**



BASIC INFORMATION

DESCRIPTION

Schuko socket outlet in grey colour of the Simon series 17 Play with safety device and screw terminal connection. Its type of operation is by insertion and is a socket outlet suitable for surface and flush mounting and is compatible with the frames of the series Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralizaciones, Simon 27 Play and Simon 44 Aqua. The covers of this socket outlet include the child protection function and is a socket outlet that supports a cable section of 2.5 mm with a stripped 15mm. Its design is the regulations IEC 60884-1 ED 3.2 + UNE 20315-1-1: 2009 + UNE 20315-1-2: 2009 and is manufactured with thermoplastic trim and metal components with insulation, halogen-free. It measures 45x45mm and to clean it, you will only need to use a soft and dry cloth and never use abrasive cloths or cleaners containing chlorine.

FINISH

Grey

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Socket outlet with cover

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
Schuko

INDICATOR FUNCTION
No

CURRENT (A)
16 A

IP RATING
IP21

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Insertion

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
15

CLAW
Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American and Centralisations

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | UNE 20315-1-1:2017 | IEC 60884-1 Ed 3.2 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053252178

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
1229865

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.053

PRODUCT NET WEIGHT
0.053

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053073209

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
53

PACKAGING WIDTH
105

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.23

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.53

PACKAGING NET WEIGHT
0.53

PACKAGING WEIGHT UNIT
KGM