# Mini jack connector for half element ivory Simon 27 Play

REF. **2701092-031**



## BASIC INFORMATION

### DESCRIPTION

We present you this connector with half element mini-jack and ivory finish belonging to the Simon 27 Play series and has a single module. The quality of the materials of manufacture is ensured: This connector has different components of the highest quality and with halogen-free insulation, as well as a thermoplastic trim. It has a screw terminal connection, its dimensions are 22,5x45 millimetres. Section of wire cross-section of 0.2 to 0.5 millimetres; stripping of wire to 5 millimetres. It is suitable for surface-mounted and also to be recessed. Another interesting significant with regard to its installation, it is that the maximum recommended length of cabling does not exceed the 30 meters to ensure an optimal operation, for more information, so that the user please refer to the product instruction sheet. On maintenance, it is important to use a soft cloth moistened in soapy water is sufficient (with a little) must not to use abrasive cleaners with chlorine).

### FINISH

Ivory

### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

### PACKAGING CONTENTS

Mini jack connector and instruction sheet

### ETIM CLASS

EC000018

### REMARKS

Recommended maximum cable length: 30 metres. For more information see the product instruction sheet.

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

### NUMBER OF CONNECTORS
1

### CONNECTOR TYPE
Mini-Jack

### NUMBER OF CONTACTS
3

### NUMBER OF POSSIBLE ELEMENTS
Half element

### FORMAT
Mini-Jack

### IP RATING
IP20

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM
Insertion

### OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

### TYPE
3.5 mm

### VERSION
Single

### NUMBER OF WIRES
3

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)
5

### CLAW
Simon 27

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American, Small spaces and Centralisations

### INSTALLATION TYPE
Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

## REGULATIONS

### REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012

# LOGISTICS INFORMATION

UNITARY EAN CODE
8421053090237

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.053

PRODUCT NET WEIGHT
0.053

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053090237

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
57

PACKAGING WIDTH
76

PACKAGING LENGTH
76

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.329

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.053

PACKAGING NET WEIGHT
0.053

PACKAGING WEIGHT UNIT
KGM