10AX 250V ~ pushbutton switch with 1click® Simon 100 connection system

REF. **10000201-039**



BASIC INFORMATION

DESCRIPTION

No tools or wire stripping. This half-element pushbutton switch with 10AX and 250V features a quick, comfortable and secure 1-click connection system. With regard to its installation, it should moreover, it is compatible with the frames of the Simon 100 collection. The operation is of the rocker push button type and supports a wire section from 1.5 mm to 2 , 5 mm. Made of metal components with halogen-free thermoplastic insulation. This coin belongs to the Simon 100 series, commemorating the centenary of the brand and designed to facilitate user interaction with its mechanisms, it is a revolutionary collection, both in terms of usability and appearance, able to energize create spaces and create experiences tailored to the client's lifestyle. Simon 100 will make a big difference in the way people live their lives. Enter a new world and never stop feeling!

COMPATIBILITY

Frames Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
Half element

INDICATOR FUNCTION
No

CURRENT (A)
10 AX

IP RATING
IP20

TYPE OF MECHANISM
Momentary switch button

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

POWER SUPPLY (V~)
250 V~

STORAGE TEMPERATURE RANGE (°C)
-25 - 75 °C

VERSION
Unique

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
universal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
1 click connection (1 click®)

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD | Directive 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.026

PRODUCT NET WEIGHT
0.026

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053133019

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
40

PACKAGING WIDTH
125

PACKAGING LENGTH
195

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
975000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.26

PACKAGING NET WEIGHT
0.26

PACKAGING WEIGHT UNIT
KGM


L
N
Puenteo de fase
Phase bridging