Single rocker combinable with viewers 82972 and 82982 aluminium Simon 82

REF. **82013-33**



BASIC INFORMATION

DESCRIPTION

In colour and aluminium individual rocker combinable with viewfinders 82972 and 82982 visors and belonging to the Simon 82 series. This rocker is available in 6 finishes and it is always recommended to choose the frame with the same baseboard colour as the rocker selected. With 1 element and is a rocker suitable both for surface and flush mounting and can be installed, perfectly, in places with a temperature located between 5 and 40ºC, although it can withstand extreme temperatures of -25 to 50ºC, plus or minus. Its design complies with the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 and is manufactured in thermoplastic, a material that, you will have to clean only with a soft and dry cloth, forgetting of abrasive cleaners and cloths with chlorine. It measures 55 x, 55 mm. The Simon 82 series has a minimalist design, with noble finishes and a wide range of textures, as well as offering innovative features such as the child guardrail function the light frame for location in the dark. It is also compatible with the mechanisms of the Simon 77 series.

FINISH

Aluminium

MATERIAL

Plastic

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (ºC)

5 - 40 ºC

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (ºC)

-25 - 50 ºC

INDICATOR FUNCTION

Yes

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053052235

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3026595

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.02

PRODUCT NET WEIGHT
0.02

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053052235

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
81

PACKAGING WIDTH
82

PACKAGING LENGTH
90

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
597780

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.1

PACKAGING NET WEIGHT
0.1

PACKAGING WEIGHT UNIT
KGM