

**Front kit for 3 elements with 1 German socket outlet, 1
2xUSB charger, 1 blinds rocker and 1 rocker gloss white
Simon 100**

REF. 10020306-130



BASIC INFORMATION

DESCRIPTION

The front kit for three elements with a Schuko plug, a 2xUSB charger, a key, blinds and a blank key has a glossy finish and is part of the Simon 100 series.

The main features of this pack of elements for electrical and electronic systems are: intensity (Switch: 10 AX - USB: 2.1 A - Schuko: 16 A), voltage (230 V), connection (Schuko / Switch / Commutator): by cut (1 click) and the type of activation is by insertion.

It can be installed both vertically and horizontally, so it can be adapted to all kinds of spaces.

It is based on regulations 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50581: 2012 + EN 60669-1: 1999 + EN 60669-1: 1999 A1 : 2002 + EN 60669-1: 1999 A2: 2008 * 2 + EN 60950-1: 2006 + EN 60950-1: 2006 A11: 2009 + EN 60950-1: 2006 A1: 2010 + EN 60950-1: 2006 A12: 2011 + EN 60950-1: 2006 A2: 2011 * 3 + ETSI-EN 301489-34 v14.1 * 3 + IEC 60884-1 Ed. 3.2 * 1 and is marketed in the EC.

FINISH

Gloss white

COMPATIBILITY

Kit mechanisms Simon 100

MATERIAL

Thermoplastic

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

3 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

FORMAT

Schuko,USB

MONOBLOCK

Yes

VERSION

3 elements

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2: 2008*2 + EN 60950-1:2006 + EN 60950-1:2006 A11:2009 + EN 60950-1:2006 A1:2010 + EN 60950-1:2006 A12:2011 + EN 60950-1:2006 A2:2011*3 + ETSI-EN 301489-34 v14.1*3 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053147696

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.138

PRODUCT NET WEIGHT

0.138

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053147696

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

25.3

PACKAGING WIDTH

226

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

480295.2

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.138

PACKAGING NET WEIGHT

0.138

PACKAGING WEIGHT UNIT

KGM