

**Angled voice and data plate without dust cover 1 element
for 1 RJ45 graphite Simon 500 Cima**

REF. 50000181-038



BASIC INFORMATION

DESCRIPTION

The Simon 500 Cima Range, it offers the best and quickest solution to the most demanding market requirements. Simon, with extensive experience in the most modern technologies, prepares for the future any solution required by your company or office, facilitating the installation with extendible modular and safe systems. With the aim of respecting as much as possible to the most rigorous standards of certification, Simon recommends installing angled plates or depth extenders, which guarantees that the cabling has the correct radius of curvature. As Simon is fully compatible with the majority of the brands of the highest quality on the market, we suggest you consult the selection tables in the catalogue or on its website for the most up-to-date version about this compatibility. This is an angled voice and data plate without dust cover and 1 element for 1 RJ45. Graphite finish, Simon 500 Cima range. Suitable for combined MD module. Single Angled Plate. Plate for 1 and 2 RJ45. The plate includes clips for fastening in vertical and horizontal housings without the need for an adaptor. Dimensions 50 x 50 x 21 mm Halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in case of smoke resistant to corrosion and temperature changes. (-5 to 60 °C). Clean with a soft, dry cloth, do not use abrasive cleaners containing chlorine.

FINISH

Graphite

PACKAGING CONTENTS

Angled voice and data plate
without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RJ45

PLATE TYPE

Angled

AVAILABLE IN

Plate for 1 and 2 RJ45

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

DUST PROTECTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

SNAP-FIT TYPE

Corresponding to combined MD module

DUST SHUTTER

No

NUMBER OF MODULES

1

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE	UNITARY PACKAGING GROSS WEIGHT	PACKAGING LENGTH
8421053254530	0.013	136
UNITARY PACKAGING HEIGHT	PRODUCT NET WEIGHT	PACKAGING MEASUREMENT UNIT
0	0.013	MMT
UNITARY PACKAGING WIDTH	UNITARY PACKAGING WEIGHT UNIT	PACKAGING VOLUME
0	KGM	1.472
UNITARY PACKAGING LENGTH	PACKAGING EAN	PACKAGING VOLUME UNIT
0	8421053095164	DMQ
UNITARY PACKAGING MEASUREMENT UNIT	UNITS CONTAINED PACKAGING	PACKAGING GROSS WEIGHT
MMT	20	0
UNITARY PACKAGING VOLUME	PACKAGING HEIGHT	PACKAGING NET WEIGHT
0	88	0.26
UNITARY PACKAGING VOLUME UNIT	PACKAGING WIDTH	PACKAGING WEIGHT UNIT
MMQ	123	KGM

