


Front kit for 3 elements with 1 German socket outlet, 1 HDMI + USB connector and 1 single R/TV+SAT socket gloss white Simon 100

REF. 10020304-130



BASIC INFORMATION

DESCRIPTION

Kit in white for 3 elements with the following functionalities: 1 Schuko plug base, 1 HDMI + USB connector and 1 R-TV + SAT socket only. At the time of installation, it must be taken into account that the Schuko plug base is made by the 1-click system, while the rest R-TV + SAT / HDMI + USB is via screw. It is a multimedia kit that offers the main TV connectors, game connectors, music connectors and plug.

This kit belongs to the 100 series of Simon, so it is compatible with the rest of the elements of this range. For the development of this device, the directive 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50083-2: 2012 * 4 + EN 50581: 2012 + IEC 60603-7-4: 2010 * 5 + IEC 60884-1 Ed. 3.2 * 1 have been followed and it is suitable for commercialisation in the EC.

Its installation can be done vertically and horizontally. It works with a voltage of 250 V ~ and occupies 3 elements. For proper maintenance and operation, a temperature range of 5 to 40° C and a storage temperature range of -25 to 50° C must be observed.

FINISH

Gloss white

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

3 elements

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

3 elements

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL

CONNECTION - FUNCTION 2

R-TV+SAT: / HDMI / USB: Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012*4
+ EN 50581:2012 + IEC 60603-7-4:2010*5 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146200

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053146200

PACKAGING VOLUME

480295.2

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0.124

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

226

PACKAGING NET WEIGHT

0.124

UNITARY PACKAGING GROSS WEIGHT

0.124

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.124