


Schuko Base with USB Charger C+C PD 20W Simon 75

REF. 7521432-039



BASIC INFORMATION

PACKAGING

Bulk

ETIM CLASS

EC000125

REMARKS

These USB C sockets require PD-compatible devices.

TECHNICAL INFORMATION

NUMBER OF CONNECTORS

2

CONNECTOR TYPE

Schuko,USB C

NUMBER OF CONTACTS

3

FORMAT

Schuko,USB C

FREQUENCY

50 - 60 Hz

INDICATOR FUNCTION

No

CURRENT (A)

16 A

IP RATING

IP20

LINKABLE

Yes

MAXIMUM POWER (W)

4000

MONOBLOCK

No

NOMINAL VOLTAGE (V~)

250 V~

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

PLATE TYPE

Flat

POWER SUPPLY (V~)

250/230 V~

RECESS DIMENSION (MM)

45

USB CHARACTERISTICS

2 USB = 5,0 VDC 3,0 A 15,0 W ; 1
USB = 5,0 VDC 3,0 A 15,0 W / 9,0
VDC 2,2 A 19,8 W / 12,0 VDC 1,7
A 20,4 W

USB CURRENT (A)

1,6 A

USB PORT TYPE

C

POWER DELIVERY USB

Yes

QUICK CHARGE USB

Yes

USB VOLTAGE (V~)

5/12 V~

VOLTAGE (V~)

250 V~

NUMBER OF WIRES

3

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

CLAW

Simon 75

REMOVAL OF COVER

Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

TYPE OF TERMINAL CONNECTION - FUNCTION 2

Schuko/USB: Screw

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | IEC 60884-1 Ed 3.2 | ETSI EN 301489-34 V2.1.1 | UNE 20315-1-1:2017 | EN IEC 63000:2018 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053340370

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053340370

PACKAGING VOLUME

329232

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

57

PACKAGING GROSS WEIGHT

0.066

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

76

PACKAGING NET WEIGHT

0.055

UNITARY PACKAGING GROSS WEIGHT

0.066

PACKAGING LENGTH

76

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.055