

Adaptor plate for Simon 27 electronic mechanisms for 1 element graphite Simon 500 Cima

REF. 50011088-038



BASIC INFORMATION

DESCRIPTION

Adaptor plate for Simon 27 electronic mechanisms (in case of installing Simon 27 Play mechanic mechanisms to use the references 50010088-038 (for 1 item) or 50000088-038 (for 2 elements), for 1 element, in graphite colour and belonging to the Simon 500 Cima series. This Simon 500 Cima series offers high speed in voice and data and is that it is the best solution for ensuring high speed data transmission. It also has an optimal bending radius and more space for the cabling. It can be both surface or flush mounted, supporting a more than 60 ° C in the installation wall surface-mounted and more than 90 ° C in flush installation in wall. It measures 50 x 50 x 10,7 mm and is made of thermoplastic, a material that is very easy to clean: Just need to keep it in perfect condition, a soft, dry cloth and never get to use abrasive cloths or cleaners with chlorine.

FINISH

Graphite

MATERIAL

Plastic

COMPATIBILITY

Simon 27 Play electronic mechanisms

PACKAGING CONTENTS

Adaptor plate for Simon 27 electronic mechanisms for 1 element

ETIM CLASS

EC002649

REMARKS

If installing Simon 27 Play mechanical mechanisms you must use articles no. 50010088-038 (for 1 element) or 50000088-038 (for 2 elements)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Specific adaptor for Simon 27 Play electronic mechanisms for 1 element, with another version for Simon 27 Play mechanical mechanisms for 1 or 2 elements

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

RAL

7021

VERSION

1 element

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

By direct snap-fit in the selected enclosure (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface or flush-mount installation

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053095706

PACKAGING VOLUME
0.911

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
70

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.009

PACKAGING WIDTH
93

PACKAGING NET WEIGHT
0.09

PRODUCT NET WEIGHT
0.009

PACKAGING LENGTH
140

PACKAGING WEIGHT UNIT
KGM

