

## Cover for 2-way rotary switch with 4 positions and 0-I-II-III symbol graphite Simon 82

REF. 82079-38



### BASIC INFORMATION

#### FINISH

Graphite

#### MATERIAL

Plastic

#### PACKAGING CONTENTS

Cover

#### SYMBOL

0-I-II-III

#### COMPATIBILITY

Simon 75 mechanisms

#### ETIM CLASS

EC000011

#### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 61058-1:2018 | EN 61058-2-5:2011 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053259450

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

1504126

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.022

### PRODUCT NET WEIGHT

0.022

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053050040

### UNITS CONTAINED PACKAGING

5

### PACKAGING HEIGHT

81

### PACKAGING WIDTH

82

### PACKAGING LENGTH

90

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

597780

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.11

### PACKAGING NET WEIGHT

0.11

### PACKAGING WEIGHT UNIT

KGM