

## Quadruple Schuko socket outlet 16A 250V~ with safety device and quick terminal connection red K45

REF. K14/6



### BASIC INFORMATION

#### FINISH

Red

#### MATERIAL

Plastic

#### COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture and Simon 500 Cima enclosures (requires combining with the K45 to 500 Cima adapter ref. 50012088-030).

#### ETIM CLASS

EC000125

## TECHNICAL INFORMATION

### FORMAT

Schuko

### IP RATING

IP20

### NOMINAL VOLTAGE (V~)

250 V~

### CURRENT (A)

16 A

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL

3002

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

12

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### REMOVAL OF THE SOCKET

Only with tool

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053354865

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.194

### PRODUCT NET WEIGHT

0.179

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053311653

### UNITS CONTAINED PACKAGING

3

### PACKAGING HEIGHT

60

### PACKAGING WIDTH

145

### PACKAGING LENGTH

190

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1653000

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.582

### PACKAGING NET WEIGHT

0.537

### PACKAGING WEIGHT UNIT

KGM