
Bipolar socket base 16 A 250V~ with screw terminal connection Simon 75

REF. **75431-39**



BASIC INFORMATION

DESCRIPTION

Bipolar socket base 16 A 250 V~ Simon 75 with screw terminal connection system, designed for electrical installations with two-pole connection in residential and professional environments. It supports a nominal current of 16 amperes at 250 V~, ensuring a stable and safe power supply. It incorporates a screw connection system that ensures a firm and durable fixation of the wiring, facilitating precise installation. The covers include integrated child protection that reinforces safety in the home and public use spaces. Made with metallic components and halogen-free thermoplastic insulation, in accordance with IEC 60884-1 standards, it offers resistance, durability, and high performance within the Simon 75 series and compatible frames.

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 Concept, and Simon 82.

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

REMARKS

The covers include the child protection function.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
Two-pole

FREQUENCY
50 Hz

INDICATOR FUNCTION
No

CURRENT (A)
16 A

IP RATING
IP20

LINKABLE
Yes

TYPE OF MECHANISM
Insertion

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RECESS DIMENSION (MM)
30

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

VOLTAGE (V~)
250 V~

NUMBER OF WIRES
4

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
14

CLAW
Simon 75

REMOVAL OF COVER
Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053256091

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.07

PRODUCT NET WEIGHT
0.07

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053025383

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
3.027


PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.67

PACKAGING NET WEIGHT
0.7

PACKAGING WEIGHT UNIT
KGM


L
N


74 mm
74 mm
17 mm
18 mm