

Trim plate for 1 S-Video connector for 1 element white Simon K45

REF. K103/9



BASIC INFORMATION

DESCRIPTION

Our trim plate for 1 S-Video connector is part of our collection Simon K45 and offers a few simple finishes in white tone. In a version that comes with 1 S-Video connector, screw connection, this plate does not include the connector but the housing for fastening with a rear screw. Measures 45x22,5x8,5 mm and has been manufactured in halogen-free thermoplastic to ensure that there is no flame spread in case of fire to take the case of fire, and a extremely low toxicity in case of smoke. Also, you can use the 90° positioner to guide the piece vertically and be able to combine in vertical enclosures. And it is that the best mechanisms of workplace solutions are found in the collection Simon K45, designed to meet the needs of our customers more modernistas. This is where you will find all kinds of solutions to give your home with the latest trends technological.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate for 1 S-Video connector

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening the connector with a rear screw. Connector not included (to be purchased separately).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

AVAILABLE IN

Version with 1 S-Video connector, screw connection

IP RATING

IP20

NUMBER OF MODULES

Four

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

KIT AVAILABILITY

No

RAL

9003

FORMAT

S-Video

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
544.32

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.005

PRODUCT NET WEIGHT
0.005

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8426436038158

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.1

PACKAGING NET WEIGHT
0.1

PACKAGING WEIGHT UNIT
KGM