

Trim plate for 2 RCA connectors (stereo audio) for 1 element white Simon K45

REF. K101/9



BASIC INFORMATION

DESCRIPTION

Trim plate for 2 RCA connectors class (stereo audio). This plate, white colour, it is a single element, it is part of the series Simon K45. The housings for fastening connectors are included and are rear screw. The connectors, on the other hand, must be purchased to part, as they are not included. This is the individual version of the trim plate white base of the series Simon K45, optimum for 2 or 3 RCA connectors with screw connection, it can be installed in two ways: On the surface-mounted or recessed and Variables supports temperatures ranging from -5 to the + 60 degrees centigrade. The manufacturing material is a special halogen-free thermoplastic that guarantees maximum security, minimising the risk of toxicity in case of smoke. The dimensions of the trim plate for RCA connectors are 45 x 22.5 mm, with a depth of 8.5 mm The maintenance of the product, only requires the cleaning the frame with a soft, dry cloth, free of abrasive cleaners.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate for 2 RCA connectors

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening connectors with rear screw. Connectors not included (to be purchased separately).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Versions with 2 and 3 RCA connectors with screw connection

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

FORMAT

RCA

INDICATOR FUNCTION

No

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

Four

RAL

9003

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.006

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

544320

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436038110

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

27216

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.12

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

72

PACKAGING NET WEIGHT

0.12

UNITARY PACKAGING GROSS
WEIGHT

0.006

PACKAGING WIDTH

72

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

105