# RJ11 telephone socket with 4 contacts ivory Simon 27 Play

REF. **27480-32**



## BASIC INFORMATION

### DESCRIPTION

The telephone socket with 4 RJ11 pins is from the Simon 27 Play series, screw terminal connection and its operation is by insertion. The socket is made up of a module 22.5 x 45 millimetres, and its installation is very simple and can be carried out by means of recessed or surface-mounted directly on. The socket is presented in a beautiful and stylish ivory colour, that endow of sophistication to the room of the home, premises or office is placed. The metal components with halogen-free insulation and thermoplastic trim of the product contribute to extend its service life. This is due to the quality of the materials that ensure a good operation even low temperatures very low and high, ranging from -25 to 50 degrees centigrade. The maintenance of the telephone socket is very simple and is only to use a soft cloth slightly dampened with soap and water

### FINISH

Ivory

### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

### PACKAGING CONTENTS

Telephone socket with 4 RJ11 pins

### ETIM CLASS

EC000018

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### CABLE SECTION ADMITTED (MM)
From 0,3 to 0,5 mm

### NUMBER OF CONNECTORS
1

### CONNECTOR TYPE
RJ11

### NUMBER OF CONTACTS
4

### NUMBER OF POSSIBLE ELEMENTS
1 element

### FORMAT
RJ

### IP RATING
IP20

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM
Insertion

### OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

### VERSION
Single

### NUMBER OF WIRES
2

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)
12

### CLAW
Simon 27

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American and Centralisations

### INSTALLATION TYPE
Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

## REGULATIONS

### REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053252215

UNITARY PACKAGING HEIGHT
27

UNITARY PACKAGING WIDTH
45.7

UNITARY PACKAGING LENGTH
45.7

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.056

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.025

PRODUCT NET WEIGHT
0.016

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053010747

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
50

PACKAGING WIDTH
105

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.155

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.25

PACKAGING NET WEIGHT
0.16

PACKAGING WEIGHT UNIT
KGM