

Spotlight 640.00 Rail WW Wide Flood White

REF. 64000030-483



BASIC INFORMATION

DESCRIPTION

For lighting that boost to the maximum creativity in a single space, Simon offers the 640 spotlight with WIDE FLOOD optics, for a amplitude angular greater, and the efficiency of the latest LED technology. With a colour temperature of 3000K and tone warm WW, has a performance of 2500 lm for WW y a consumption of 30 W The spotlight 640 is compatible with power supplies of 120-240 Volts and 50-60 Hz and, in addition, guaranteeing their usefulness 30,000 hours at an average temperature of 25 ° C, being able to reach the 35 °C. Its minimalist finishes in white and its system of switching on ON-OFF, are linked to the versatility of its 3-phase rail to offer the possibility to guide the luminaire to be adjusted to each need a specific to the specific space. Innovation, versatility and functionality with the spotlight 640 WIDE FLOOD.

APPLICATION

Accent lighting,General lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY (HZ)

50 - 60 Hz

DIRECTIONAL

Yes

LUMENS (LM)

2500 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

2500 lm/30W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

Type 1

OPTICS

Wide Flood

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3000 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

30 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

50.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

84 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

3-phase rail

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053129999

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.574

PRODUCT NET WEIGHT

1.372

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053129999

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

238

PACKAGING WIDTH

180

PACKAGING LENGTH

133

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.057

PACKAGING VOLUME UNIT

HLT

PACKAGING GROSS WEIGHT

1.52

PACKAGING NET WEIGHT

1.372

PACKAGING WEIGHT UNIT

KGM