

Flat voice and data plate without dust cover for 1 RJ45 Panduit® for 1 element white Simon 500 Cima

REF. 50019185-030



BASIC INFORMATION

DESCRIPTION

This plate of voice and data plate belongs to the Simon 500 Cima range. It is a product is ideal for a connector, 1 Panduit ® RJ45 for one element, its installation and use is extremely simple and also Simon, always looking for facilitate the task of the user, included in the product the clips necessary for the fastening of the plate in vertical or horizontal enclosures without the need for an adaptor. The plate is made up of a single module and its dimensions are 50 x 50 millimetres and 11 millimetres of depth and comes in a traditional white colour, which makes it ideal for those who want to integrate into any type of space regardless of its decorative style and aesthetics. The product is made of halogen-free thermoplastic material, so that it has a lot of resistance and an extra hardness. In addition this material incremented considerably the security of the final set as it does not propagate the spread in case of fire and reduces the toxicity of smoke.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

COMPATIBLE WITH CONNECTORS

Panduit® Mini-Com Series.

RJ45 CONNECTORS

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

DUST PROTECTION

No

FORMAT

RJ45

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

PLATE TYPE

Flat

RAL

9003

RJ45 ADAPTOR MODULE

Included in voice and data plate

SNAP-FIT RJ45 PLATES

RJ45 Panduit® connectors

SNAP-FIT TYPE

RJ45 Panduit® connectors

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053097144

PACKAGING VOLUME
0.604

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
54

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.024

PACKAGING WIDTH
52

PACKAGING NET WEIGHT
0.24

PRODUCT NET WEIGHT
0.024

PACKAGING LENGTH
215

PACKAGING WEIGHT UNIT
KGM

