

## Simon XENON Wall Charging Point with T2 Socket Single-phase 7.4 kW

REF. 0660141-000



## BASIC INFORMATION

### DESCRIPTION

Charging point SIMON XENON BUSINESS Series, wall-mounted. Type 2 socket with connector locking to prevent its removal. Maximum power per socket of 7.4 kW (single-phase 230 V, 50 Hz) configurable to lower powers by means of software. Mode 3 charging according to EN 61851-1. Master-slave management system between charging points with possibility of fixed power management. Compatible with SPL SIMON accessory for dynamic balancing. Digital LED strip indicating status by color code on the front. LCD display screen for user interaction prepared for outdoor and indoor. RFID card reader ISO 14443A/Mifare – 13.56 MHz. Two RFID cards are included for the use of the charging point. Meter included per socket with MID certificate. Communications RS-485, Ethernet, 4G (Optional). OCPP 1.6 JSON and Modbus TCP/IP protocol. PC + ABS V0 IK10 and IP54 enclosure suitable for indoor or outdoor installation, of 351 x 343 x 148 mm. Residual current detection per socket: 6 mA DC. Standard finish SIMON.

### APPLICATION

Commercial areas,Hotel,Office,Parking

### OPERATING ENVIRONMENT

Commercial areas,Hotel,Office,Parking

### ETIM CLASS

EC002883

### REMARKS

To carry out a dynamic power balancing with the installation, the SPL network analyzer accessory must be acquired. Vertical mounting totems are available.

## TECHNICAL INFORMATION

### 4G COMMUNICATION MODEM

With accesorie

### IK CLASSIFICATION

10

### NUMBER OF OUTLETS

1

### CONNECTOR TYPE

Type 2 Socket

### CURRENT (A)

32 A

### OVERCURRENT PROTECTION

No

### ELECTRICITY METER

Yes

### IP RATING

IP54

### RCBO PROTECTION

No

### FREQUENCY

50 Hz

### TYPE OF LINE

Single-phase

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053349694

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

7

### PRODUCT NET WEIGHT

6.5

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053349694

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

185

### PACKAGING WIDTH

490

### PACKAGING LENGTH

670

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

60735500

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

7

### PACKAGING NET WEIGHT

6.5

### PACKAGING WEIGHT UNIT

KGM