VGA HD15 female connector with trim plate black Simon K45

REF. **K100B/14**



BASIC INFORMATION

DESCRIPTION

VGA HD15 female connector with trim plate with black finish, the article measures 45x45 mm and has two modules, has a screw terminal connection and is suitable for surface and flush mounting. It has been made with metal parts with halogen-free in self-extinguishing halogen-free thermoplastic. This material has the advantage that it is very safe in case of fire, as not only guarantees the minimum toxicity in the presence of smoke, but also prevents extend the fire. It is recommended that the maximum length of the cabling is 20 meters, in any case, if you have any questions, please refer to the instruction sheet of the article. The connector corresponds to the Simon 27 series, a collection designed to facilitate the multimedia connections. In relation to the maintenance of the product, it is ideal to use a soft and dry cloth so as well to clean it properly.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

VGA HD15 female connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 20 meters For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

CONNECTOR TYPE
VGA

NUMBER OF CONTACTS
15

NUMBER OF POSSIBLE ELEMENTS
1 item

FORMAT
VGA

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RAL
7021

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

NUMBER OF WIRES
10

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436058965

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.077

PRODUCT NET WEIGHT
0.077

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436058965

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
52

PACKAGING WIDTH
105

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.201

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.077

PACKAGING NET WEIGHT
0.077

PACKAGING WEIGHT UNIT
KGM