

## Simon SM34 Wall Charging Point with 5m Cable T2 Single-Phase 7.4 kW + Bluetooth + Automatic and Differential + Surge Protection with Automatic Meter Reset

REF. 0651042-400



### BASIC INFORMATION

#### FINISH

Graphite

#### APPLICATION

Residential

#### ETIM CLASS

EC002883

#### MATERIAL

ABS Plastic

#### OPERATING ENVIRONMENT

Residential

## TECHNICAL INFORMATION

### CONNECTOR TYPE

Type 2 Straight cable

### CURRENT (A)

32 A

### MODE 3 STATUS INDICATOR

Yes

### FREQUENCY

50 Hz

### IP RATING

IP54

### NUMBER OF OUTLETS

1

### IK CLASSIFICATION

10

### TYPE OF LINE

Single-phase

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED\*1 | EN IEC 61851-1:2019 | EN IEC 61851-21-2:2021 | EN 62196-2:2017 | EN 62311:2008 | EN IEC 63000:2018 | ETSI EN 300 328 v2.2.2\*1

## LOGISTICS INFORMATION

UNITARY EAN CODE 8421053301340	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053301340	PACKAGING VOLUME 35259360
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 149	PACKAGING GROSS WEIGHT 5.5
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 408	PACKAGING NET WEIGHT 5.665
UNITARY PACKAGING GROSS WEIGHT 5.665	PACKAGING LENGTH 580	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 5.665		