

RJ12 telephone socket half element with 6 contacts white Simon 27 Play

REF. 27481-34



BASIC INFORMATION

DESCRIPTION

When we make a telephone connection nothing can fail. An interruption can give the treat a business or the transmission of good news. To ensure that nothing fails at these special moments, many professionals and individuals already rely on the half-item telephone socket for RJ12 connector of the Simon 27 Play series. This narrow-module telephone socket, which is distributed in boxes of 20 units, is available in white colour and has 6 connections. Supports a wire cross-section of 0.3 to 0.5 mm and complies with the regulation TIA 568 C. 2. It has a screw terminal connection, insertion functioning and it has a stripped wire 12 mm. Also has been manufactured with metal components with halogen-free insulation and thermoplastic trim, high quality materials that are always used throughout the Simon 27 Play series. Moreover, its price is unbeatable.

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

RJ12

NUMBER OF CONTACTS

6

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

RJ

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

Category 3

VERSION

Single

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252260

UNITARY PACKAGING HEIGHT

27

UNITARY PACKAGING WIDTH

45.7

UNITARY PACKAGING LENGTH

45.7

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.056

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.019

PRODUCT NET WEIGHT

0.015

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053026984

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

53

PACKAGING WIDTH

160

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.866

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.374

PACKAGING NET WEIGHT

0.3

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO






DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos