

Simon Slim System modular luminaire 3000K Symmetrical op 1.2 m DALI Black

REF. 91771305-388



BASIC INFORMATION

FINISH

Black

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

1465x85x85 mm

BODY MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001743

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CONTROL

DALI

LIGHTING EFFICIENCY (LM/W)

Up to 82 lm/W

IP RATING

IP20

DIRECTIONAL

Yes

LUMENS (LM)

3270 lm

OPERATING TEMPERATURE RANGE (°C)

0 to 35°C

DRIVER INCLUDED

No

NUMBER OF LUMINAIRES

1

POWER SUPPLY (V~)

48 Vdc

ELECTRICAL CLASS

Type 3

MACADAM STEPS

<3 Step MacAdam

RAL

9005

ENERGY EFFICIENCY

A+

OPTICS

Symmetric

COLOR TEMPERATURE (K)

3000K

COLOR TYPE

NW

POWER (W)

42 W

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547077533

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.72

PRODUCT NET WEIGHT

0.595

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8436547077533

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

79

PACKAGING WIDTH

83

PACKAGING LENGTH

1465

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

9606005

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.72

PACKAGING NET WEIGHT

0.595

PACKAGING WEIGHT UNIT

KGM