

Trim plate with voltage indicator for 1 element white Simon K45

REF. KL05/9



BASIC INFORMATION

DESCRIPTION

Trim plate with voltage indicator of 1 element, finished in graphite colour and belonging to the series Simon K45. This plate is ideal for installation in surface-mounted and is recessed and in public places with a temperature between 5 and 60 ° C, approximately, although it ' s true that is able to withstand temperatures. Complies with the regulation European UNE-EN 61.000-3-3: 2009 and is manufactured with metal components. It measures 45 x 45 mm and to clean it, just have to wipe it with a soft and dry cloth, without resorting to use any cloth or abrasive cleaner containing chlorine. The series Simon K45 offers flat plates and plates to facilitate the workplace solutions, thus offering you a complete solution and contrasted quality. All the plates belonging to the series Simon K45 support any connector of the market and also are plates with dust cover of closure automatic, helping to keep inalterables the transmission parameters and also have a Labelling area or for pasting of the identification label.

FINISH

White

MATERIAL

Metal

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate with voltage indicator and installation manual

ETIM CLASS

EC000011

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

KIT AVAILABILITY

No

NUMBER OF MODULES

Half

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

INDICATOR FUNCTION

Yes

VERSION

Single

IP RATING

IP20

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

UNE-EN 61.000-3-3:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.036

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

1472064

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436035522

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.37

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

88

PACKAGING NET WEIGHT

0.36

UNITARY PACKAGING GROSS
WEIGHT

0.036

PACKAGING WIDTH

123

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

136