


# MOOD 110 Wall-mounted luminaire Basic Source On/Off from 1 to 5 units

REF. 98821315-999



## BASIC INFORMATION

### APPLICATION

Domestic, Office, Retail, Hotel, Contract Unit

### PACKAGING CONTENTS

### ETIM CLASS

EC002710

## TECHNICAL INFORMATION

### FREQUENCY

50 - 60 Hz

### POWER SUPPLY (V~)

8 V~

### ELECTRICAL CLASS

III

### IP RATING

IP20

### CONTROL

On/Off

### ENERGY EFFICIENCY

A+

### OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

### DRIVER INCLUDED

Yes

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Trimless

## REGULATIONS

### EAC MARKED

No

### ECORRAE MARKED

Yes

### WARRANTY

5 years

## LOGISTICS INFORMATION

UNITARY EAN CODE

8436547050512

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547050512

PACKAGING VOLUME

136500

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

21

PACKAGING GROSS WEIGHT

0.14

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

100

PACKAGING NET WEIGHT

0.13

UNITARY PACKAGING GROSS  
WEIGHT

0.14

PACKAGING LENGTH

65

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.13