


## Front kit for 2 elements with 1 German socket outlet, 1 rocker and 1 USB charger matt black Simon 100

REF. 10020207-238



## BASIC INFORMATION

### DESCRIPTION

Front kit for 2 elements with 1 Schuko plug base, 1 key and 1 matte black USB charger. This product of the Simon 100 series is ideal to be installed easily in any room: office, housing, commercial premises, garage, etc. It is a product that can be installed vertically or horizontally.

This two-element front kit and a Schuko plug base also have a matte black material finish that outlines its appearance for an elegant appearance. Simon recommends that it be used in bedrooms, as it includes a USB connector and a light switch with a push-button switch.

Designed to occupy 2 elements, it belongs to the Simon 100 series. It is important to keep in mind the temperature for its operation, which must always be between 5° C and 40° C while the storage temperature range must be between -25° C and 50° C.

It is a standard type product that presents a simple cleaning: a damp cloth is sufficient and it has been made based on directive 2014/35/UE LVD + directive 2011/65/UE RoHS + EN 50581: 2012 + EN 60669- 1: 1999 + EN 60669-1: 1999 A1: 2002 + EN 60669-1: 1999 A2: 2008 \* 2 + IEC 60884-1 Ed. 3.2 \* 1.

### FINISH

Matt black

### COMPATIBILITY

Kit mechanisms Simon 100

### ETIM CLASS

EC000007

### MATERIAL

Thermoplastic

### PACKAGING CONTENTS

Cover and rockers

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

2 elements

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### FORMAT

Schuko,USB

### MONOBLOCK

Yes

### VERSION

2 elements

### INDICATOR FUNCTION

No

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2: 2008\*2 + IEC 60884-1 Ed. 3.2\*1

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213452

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053213452

PACKAGING VOLUME

329406

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

155

PACKAGING NET WEIGHT

0.096

UNITARY PACKAGING GROSS  
WEIGHT

0.096

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.096