

German socket outlet 16A 250V~ with safety device and screw terminal connection aluminium Simon 31

REF. 31432-63



BASIC INFORMATION

DESCRIPTION

Schuko socket outlet from the Simon 31 series, with safety device and screw terminal connection finished in aluminium colour. It has a current of 16A and a voltage of 250V and insertion operation. The covers of this socket outlet also include the child protection function and support a cable section of 2.5 mm with stripped wiring of 13 mm. It can be located in places with a temperature of between 5 and 40°C, although it can withstand extreme temperatures of -25 to 50°C, approximately. It measures 64x65 mm and must be cleaned with a soft cloth slightly moistened in soapy water, without having to use abrasive cleaners with chlorine. It is made of metal components with halogen-free insulation and trim made of metallised thermoplastic, and its manufacturing complies with regulations UNE 20315-1-1:2009, UNE 20315-1-2:2009.

FINISH

Aluminium

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP21

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Schuko

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053071687

PACKAGING VOLUME
3.027

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.11

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
1.1

PRODUCT NET WEIGHT
0.11

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM