

Switch for blinds 10A 250V~ with 3 positions: up, down and stop ivory Simon 27 Play

REF. 27333-62



BASIC INFORMATION

DESCRIPTION

The switch for blinds, Simon 27 Play, with an ivory finish and in its individual version with one element, it comes with three positions: Raise, lower and stop. Allows a simple control of blinds in the home. Its reference is 27333-62. Its voltage is 250 VAC and its current of 10A It has a type of quick terminal connection and a rocker operation. The rockers, covers and plates are presented with an engraving of the raising, lowering and stopping to differentiate between each operation. The mechanism has a cable section between 1.5 to 2.5mm. The stripping required wire is 11mm. It measures 45x45mm. It has several manufacturing materials, with metal components with halogen-free insulation and thermoplastic trim.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mechanism with rocker

ETIM CLASS

EC000044

REMARKS

Mechanism with centre position to stop the up/down movement of the blinds.

TECHNICAL INFORMATION

AVAILABLE MARKET CE	IP RATING IP20	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
CABLE SECTION ADMITTED (MM) From 1,5 to 2,5 mm	LATCH TYPE Mechanical	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
NUMBER OF POSSIBLE ELEMENTS 1 element	MAINTENANCE Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.	VERSION Single
INDICATOR FUNCTION No	TYPE OF MECHANISM Pivoting	VOLTAGE (V~) 250 V~
CURRENT (A) 10 A		

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 11	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal, American and Centralisations	INSTALLATION TYPE Suitable for surface and flush mounting
CLAW Simon 27		TYPE OF TERMINAL CONNECTION - FUNCTION 1 Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053251997	UNITARY PACKAGING GROSS WEIGHT 0.04	PACKAGING LENGTH 220
UNITARY PACKAGING HEIGHT 22.8	PRODUCT NET WEIGHT 0.026	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 39.2	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 1.159
UNITARY PACKAGING LENGTH 46	PACKAGING EAN 8421053080818	PACKAGING VOLUME UNIT DMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 10	PACKAGING GROSS WEIGHT 0.4
UNITARY PACKAGING VOLUME 0.041	PACKAGING HEIGHT 50	PACKAGING NET WEIGHT 0.26
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 105.4	PACKAGING WEIGHT UNIT KGM