

Fuse holder cap with blown-fuse indicator window grey Simon 75

REF. 75091-35



BASIC INFORMATION

DESCRIPTION

Fuse plugs are indispensable elements for the maintenance of a safe electrical installation. Therefore, it is vitally important to choose quality products and good performance. The fuse holder plug with window for fusion indicator Simon 75 is a heat sensitive device specially designed to apply a pressure control reliable and highly efficient. It incorporates a window that acts as a fusion indicator at the determined detection temperature, assuring an adequate identification of any incidence. Available in an individual and 1 element version, it has a small and compact design, so that it is very easy to handle and fit in any installation. In addition, this fuse holder plug is made of high quality ceramic material with a grey finish, at Simon we have extensive experience in selling electrical material, and it is the quality of our products that makes us leaders in the sector.

FINISH

Grey

COMPATIBILITY

Fuse holder with ceramic socket

PACKAGING CONTENTS

Fuse holder

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Fuse holder

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.003

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

39440

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053003503

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

39440

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.03

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

20

PACKAGING NET WEIGHT

0.03

UNITARY PACKAGING GROSS

WEIGHT

0.003

PACKAGING WIDTH

29

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

68