

Downlight aluminium 735.21 WW Medium 1-10V

REF. 73521133-683



BASIC INFORMATION

DESCRIPTION

With luminous system of adjustment 1-10 V, the luminaire 735.21 of the collection Pecado get the perfect balance between innovation and functionality in a design of neutral lines and minimalist style. With medium optics, with a colour temperature of 3000K for a warm tone WW that guarantees a comfortable lighting that adapts to all types of spaces and environments. With luminous light flux 2300 lm for WW, and total luminaire consumption of 24 W, it is compatible with a voltage of power of 220-240 Volt and 50 Hz. Composed of the latest LED technology, this luminaire has a service life of > 50,000 hours at 25 ° C to L90. With a size of 230 x 230 x 110 mm, it is designed for flush installation that, linked to its finishes in a always stylish aluminium colour, ensures integration of the set in all types of spaces, being ideal for environments functional of minimalist style.

APPLICATION

General technical lighting

PACKAGING CONTENTS

1 Unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 Hz

DRIVER INCLUDED

Yes

LIGHTING EFFICIENCY (LM/W)

96 lm/W

IP RATING

IP20

ELECTRICAL CLASS

type 1

LUMENS (LM)

2300 lm

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

INTEGRATED POWER SUPPLY

Yes

LUMENS/W

2300 lm/24W

POWER SUPPLY (V~)

220/240 V~

L70 (°C)

100,000 h at 25 °C

OPTICS

Medium

COLOR TEMPERATURE (K)

3000 K

L90 (°C)

50,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CONTROL

1-10 V

LIGHT BEAM APERTURE ANGLE (°)

65°

POWER (W)

24 W

CRI

80

COLOR TYPE

WW

SERVICE LIFE

50.000 h

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Ceiling surface mount

INSTALLATION TYPE

Flush mount

MINIMUM INSTALLATION HEIGHT

150

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Quick connector

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053136416

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.6

PRODUCT NET WEIGHT

1.3

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053136416

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

285

PACKAGING LENGTH

255

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

9.811

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

1.3

PACKAGING WEIGHT UNIT

KGM